

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

PPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/009,157	04/01/2002	Livia Dragne	114-01	8553
23713 7	590 01/07/2005		EXAMINER	
GREENLEE	WINNER AND SULLIV	PARSLEY, DAVID J		
4875 PEARL E SUITE 200	EAST CIRCLE		ART UNIT	PAPER NUMBER
BOULDER, C	CO 80301		3643	
			DATE MAIL ED. 01/07/2004	•

Please find below and/or attached an Office communication concerning this application or proceeding.

					k			
		Applica	tion No.	Applicant(s)	"			
Office Action Summary		10/009	157	DRAGNE ET AL.				
		Examin	er	Art Unit				
		David J	Parsley	3643				
Period fo	The MAILING DATE of this communi r Reply	cation appears on t	he cover sheet v	ith the correspondence address				
THE N - Exter after - If the - If NO - Failur Any r	DRTENED STATUTORY PERIOD FOMAILING DATE OF THIS COMMUNIC sions of time may be available under the provisions of SIX (6) MONTHS from the mailing date of this commit period for reply specified above is less than thirty (30 period for reply is specified above, the maximum state to reply within the set or extended period for reply eply received by the Office later than three months and patent term adjustment. See 37 CFR 1.704(b).	CATION. of 37 CFR 1.136(a). In no unication.) days, a reply within the stutory period will apply and will, by statute, cause the a	event, however, may a tatutory minimum of th I will expire SIX (6) MO application to become A	reply be timely filed introduced timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C.§ 133).	cation.			
Status								
1)[又]	Responsive to communication(s) file	d on 28 October 20	004					
•—	•	b)⊠ This action is						
/				tters, prosecution as to the meri	its is			
*	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositi	on of Claims							
5)□ 6)⊠ 7)□	Claim(s) <u>1-23</u> is/are pending in the a 4a) Of the above claim(s) <u>3,4,9 and 1</u> Claim(s) is/are allowed. Claim(s) <u>1,2,5-8 and 11-23</u> is/are rejected to. Claim(s) is/are objected to. Claim(s) are subject to restrict	<u>0</u> is/are withdrawn		ion.				
Applicati	on Papers							
9) 🔲 -	The specification is objected to by the	Examiner.						
10)🛛	The drawing(s) filed on <u>01 April 2002</u>	is/are: a)⊠ accep	oted or b) 🔲 obje	ected to by the Examiner.				
	Applicant may not request that any object	tion to the drawing(s) be held in abeya	ince. See 37 CFR 1.85(a).				
11)[Replacement drawing sheet(s) including The oath or declaration is objected to	•			` '			
Priority u	nder 35 U.S.C. § 119							
<i>,</i> —	Acknowledgment is made of a claim f ☑ All b) ☐ Some * c) ☐ None of: 1. ☐ Certified copies of the priority of			§ 119(a)-(d) or (f).				
	 2. Certified copies of the priority of 3. Copies of the certified copies of application from the Internation 	of the priority docu	ments have bee	· · · · · · · · · · · · · · · · · · ·	е			
* S	ee the attached detailed Office action	•	, ,,	t received.				
Attachment	(s)							
1) 🛛 Notice	e of References Cited (PTO-892)			Summary (PTO-413)				
3) 🔲 Inform	e of Draftsperson's Patent Drawing Review (P nation Disclosure Statement(s) (PTO-1449 or I No(s)/Mail Date			(s)/Mail Date Informal Patent Application (PTO-152)				

Art Unit: 3643

Detailed Action

Amendment

1. This office action is in response to applicant's amendment dated 10-28-04 and this action is non-final.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1-2, 5-8, 11-12, 14-16, 18, 20 and 22 are rejected under 35 U.S.C. 102(e) as being anticipated by U.S. Patent No. 6,227,114 to Wu et al.

Referring to claims 1, 5-7 and 14 Wu et al. discloses a method and system of controlling a blasting network including an assembly of detonators – at 40-44, the blasting network being in a blasting system which further includes a control unit – at 36, and a communication link – at F, 30-34, C₁-C_n and 50-54, for transmitting messages between the control unit and the assembly of detonators, the messages consisting of safe and unsafe messages – see for example columns 3-4,

the method including the steps of designating at least one message as unsafe – see for example column 3 lines 60-67 and column 4 lines 1-31, placing the communication link in a control mode in which the communication link is monitored for the designated at least one unsafe message in the control mode preventing the designated at least one unsafe message from reaching the assembly of detonators – see for example at 60-64 and in column 3 lines 60-67 and column 4 lines 1-31, and placing the communication link in operational mode in which the designated at least one unsafe message is allowed to reach the assembly of detonators – see for example column 3 lines 60-67 and column 4 lines 1-31, and wherein in both the control mode and the operational mode the safe messages are permitted to be transmitted to the assembly of detonators via the communication link – see for example columns 3-4. Wu et al. further discloses the step of designating at least two unsafe messages – see for example column 3 lines 60-67 and column 4 lines 1-31.

Referring to claims 2 and 8, Wu et al. discloses wherein in the control mode of the communication link the or each unsafe message is prevented from reaching the assembly of detonators by preventing the onward transmission of the unsafe message – see at 60-64 and column 3 lines 60-67 and column 4 lines 1-31.

Referring to claims 11 and 15, Wu et al. discloses the control unit – at 36, is capable of generating legal unsafe messages, which are transmitted via the communication link in its operational mode – see for example columns 3-4.

Referring to claims 12 and 16, Wu et al. discloses the monitoring device is a filter – at 60-64.

Application/Control Number: 10/009,157

Page 4

Art Unit: 3643

Referring to claims 18, 20 and 22, Wu et al. discloses a method and system of controlling a blasting network including an assembly of detonators – at 40-44, the blasting network being in a blasting system which further includes a control unit – at 36, and a communication link – at F, 30-34, C₁-C_n and 50-54, for transmitting messages between the control unit and the assembly of detonators, the messages consisting of safe and unsafe messages - see for example columns 3-4, the method including the steps of designating at least one message as unsafe – see for example column 3 lines 60-67 and column 4 lines 1-31, placing the communication link in a control mode in which the communication link is monitored for the designated at least one unsafe message in the control mode preventing the designated at least one unsafe message from reaching the assembly of detonators - see for example at 60-64 and in column 3 lines 60-67 and column 4 lines 1-31, and placing the communication link in operational mode in which the designated at least one unsafe message is allowed to reach the assembly of detonators – see for example column 3 lines 60-67 and column 4 lines 1-31, and wherein in both the control mode and the operational mode the safe messages are permitted to be transmitted to the assembly of detonators via the communication link – see for example columns 3-4. Wu et al. further discloses the step of designating at least two unsafe messages – see for example column 3 lines 60-67 and column 4 lines 1-31. Wu et al. further discloses a locking device a locking device – at 60-64, to place the communication link in the control mode or operational mode – see for example columns 3-4.

Claim Rejections - 35 USC § 103

Application/Control Number: 10/009,157 Page 5

Art Unit: 3643

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 19, 21 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wu et al. in view of U.S. Patent No. 6,101,916 to Panot et al.

Referring to claims 19, 21 and 23, Wu et al. discloses a method and system of controlling a blasting network including an assembly of detonators – at 40-44, the blasting network being in a blasting system which further includes a control unit – at 36, and a communication link – at F. 30-34, C₁-C_n and 50-54, for transmitting messages between the control unit and the assembly of detonators, the messages consisting of safe and unsafe messages – see for example columns 3-4. the method including the steps of designating at least one message as unsafe – see for example column 3 lines 60-67 and column 4 lines 1-31, placing the communication link in a control mode in which the communication link is monitored for the designated at least one unsafe message in the control mode preventing the designated at least one unsafe message from reaching the assembly of detonators – see for example at 60-64 and in column 3 lines 60-67 and column 4 lines 1-31, and placing the communication link in operational mode in which the designated at least one unsafe message is allowed to reach the assembly of detonators – see for example column 3 lines 60-67 and column 4 lines 1-31, and wherein in both the control mode and the operational mode the safe messages are permitted to be transmitted to the assembly of detonators via the communication link – see for example columns 3-4. Wu et al. further discloses the step of designating at least two unsafe messages – see for example column 3 lines 60-67 and column 4

Application/Control Number: 10/009,157

Art Unit: 3643

Page 6

lines 1-31. Wu et al. does not disclose the control unit is connected to the internet or intranet.

Panot et al. does disclose the control unit – at 10, is connected to the internet or intranet – see for example column 7 lines 59-67. Therefore it would have been obvious to one of ordinary skill in

the art to take the device of Wu et al. and add the controller connected to the internet of Panot et

al., so as to allow for information to be sent to and from the device from a remote location.

Claims 13 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wu et al. or Wu et al. as modified by Panot et al. as applied to claims 20 or 22 above, and further in view of U.S. Patent No. 4,099,467 to MacKellar et al.

Referring to claims 13 and 17, Wu et al. and Wu et al. as modified by MacKellar et al. do not disclose placing the blasting network in the control and operational modes by means of a switch. MacKellar et al. does disclose placing the blasting network in the control and operational modes by means of a switch – at 16 and see for example column 3 lines 12-33. Therefore it would have been obvious to one of ordinary skill in the art to take the device of Wu et al. or Wu et al. as modified by Panot et al. and add the switch of MacKellar et al., so as to allow for the device to be automatically controlled.

Response to Arguments

4. Applicant's arguments with respect to claims 1-2, 5-8 and 11-23 have been considered but are most in view of the new ground(s) of rejection.

Application/Control Number: 10/009,157 Page 7

Art Unit: 3643

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's

disclosure.

The following patent is cited to further show the state of the art with respect to detonating

systems in general:

U.S. Pat. No. 6,199,483 to Barbiche – shows detonators in multiple modes

6. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to David J Parsley whose telephone number is (703) 306-0552. The

examiner can normally be reached on 9hr compressed.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Peter Poon can be reached on (703) 308-2574. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

David Parsley
Patent Examiner

Art Unit 3643

SUPERVISORY PATENT EXAMMER

1/4/05